51

	Application No.	Applicant(s)		
	10/786,575	TAKAKURA, TOSHIHIKO		
Notice of Allowability	Examiner	Art Unit		
	Han S. Choi	2853		
The MAILING DATE of this communication appeall claims being allowable, PROSECUTION ON THE MERITS IS nerewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R	(OR REMAINS) CLOSED in this app or other appropriate communication IGHTS. This application is subject to	blication. If not includ will be mailed in due	ed course. <b>THIS</b>	
1. X This communication is responsive to <u>amendment filed on </u>	<u>10/18/06</u> .			
2. The allowed claim(s) is/are <u>1 and 3-12</u> .				
<ul> <li>3.  Acknowledgment is made of a claim for foreign priority units a)  All b)  Some* c)  None of the:</li> <li>1.  Certified copies of the priority documents have</li> <li>2.  Certified copies of the priority documents have</li> <li>3.  Copies of the certified copies of the priority do</li> </ul>	e been received. e been received in Application No		ition from the	
International Bureau (PCT Rule 17.2(a)).				
* Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONN THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file a reply MENT of this application.	complying with the re	quirements	
<ol> <li>A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give</li> </ol>	nitted. Note the attached EXAMINER es reason(s) why the oath or declara	'S AMENDMENT or Nation is deficient.	NOTICE OF	
5. CORRECTED DRAWINGS ( as "replacement sheets") must (a) including changes required by the Notice of Draftspers 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the sheet in the sheet.	son's Patent Drawing Review (PTO 's Amendment / Comment or in the C	Office action of	e back) of	
<ol> <li>DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT</li> </ol>	osit of BIOLOGICAL MATERIAL r FOR THE DEPOSIT OF BIOLOGIC	must be submitted. AL MATERIAL.	Note the	
Attachment(s)	5. Notice of Informal F	Patent Application		
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Dotice of Draftperson's Patent Drawing Review (PTO-948)</li> </ol>		Interview Summary (PTO-413),		
Information Disclosure Statements (PTO/SB/08),     Paper No./Mail Date 5/5/06	Paper No./Mail Da 7.  Examiner's Amendi	Paper No./Mail Date 7.		
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's Statemo	ent of Reasons for All	owance	
		MANISH S. PRIMARY EX	'/ SHAH AMINER	

Application/Control Number: 10/786,575 Page 2

Art Unit: 2853

## **DETAILED ACTION**

## Reasons For Allowance

- 1. The following is an examiner's statement of reasons for allowance:
  - The primary reason for allowance of claim 1 is due to the inclusion of the limitation "and wherein the light guide includes a counter surface extending in the primary scanning direction and arranged opposite to the light emitting surface, the counter surface being provided with a plurality of grooves spaced from each other in the primary scanning direction, each of the grooves including inclined surfaces for reflecting light traveling in the light guide so that the light is directed toward the light emitting surface, the grooves becoming progressively shallower toward the light source." While, light guides with grooves for reflecting light is known in the art, grooves having inclined surfaces which become progressively shallower toward the light source overcomes the prior art.
  - The primary reasons for allowance of claims 11 and 12 are due to the inclusion of the limitations which state "wherein the light emitting surface of the prism includes a recess and protrusions, the light emitting surface of the prism contacting the photosensitive recording medium only at the protrusions" and "wherein the light incident surface of the prism includes a recess facing and spaced from the lenses of the lens array" respectively. These limitations overcome the prior art.

Art Unit: 2853

The reason for allowance of claims 3-10 is due to their dependency on claim 1
 which overcomes the prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Han S. Choi whose telephone number is (571) 272-8350. The examiner can normally be reached on Monday - Friday, 8:30am to 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen Meier can be reached on (571) 272-2149. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/786,575

Art Unit: 2853

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

HSC 11/20/06

MANISHS SHALL

PRIMARY EXAMINER